NOTES:

1. MATERIALS AND FINISHES:

BODY - BRASS (ASTM-B16 HO2, C36000), NICKEL PLATING CONTACT PIN - PHOSPHOR BRONZE, GOLD PLATING INSULATOR - PTFE PER ASTM D 1710 OR EQUIV.

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM DC - 4 GHz

3. MECHANICAL:

A. TEMPERATURE RANGE: -65° C TO +165° C

4. PACKAGING:

A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL, APH-SMAP-BNCJ, AND DATE CODE



REV

REVISIONS

DATE


ECO

9/15/06 46271 CPM/

APPR

DESCRIPTION

RELEASE TO MFG.



APH-SMAP-BNCJ

THIRD ANGLE PROJ.

DRAWING NO.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1*	MATERIAL	DRAWN C. McGRATH ENGINEER O. BARTHELMES	DATE 8/21/06 DATE 8/21/06	TITLE	A MALE T	0	Amphenol Amphenol Corporation RF/Microwave Operation Danbury, Conn. U.S.A.	
NOTICE — These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is	REFERENCE	O. BARTHELMES	DATE 9/15/06	BNC FEMALE ADAPTER				F
not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	CAD FILE	H:\DEPT611\ASSY\APH\SMAP-	BNCJ	code id 74868	DWG SIZE B	DRAWING N		ISSUE A